



Wiiboox.com

WIIBOOX REEYEE PRO 3D SCANNER

High Precision & Handheld Convenience



Parameters

Notice: The parameters below are only for your reference.

Scan Mode	Handheld HD Scan	Handheld Rapid Scan	Automatic Scan	Free Scan
Scan Precision	0.1mm	0.3mm	0.05mm (Single Frame)	0.05mm (Single Frame)
Scan Speed	15 Frames/s	10 Frames/s	<2s(Single Frame)	<2s(Single Frame)
Dot Pitch	0.2mm-2mm	0.5mm-2mm	0.16mm	
Single Frame Scan Range	210*150mm			
Light Source	LED White Light			
Recommended Scan Object Size	0.03m-4m	0.15m-4m	0.03m-0.15m	0.03m-4m
Collage Mode	Mark Point Collage	Feature Collage	Rotary Table Collage	Mark Point Collage, Feature Collage, Rotary Table Collage
Texture Scan	No	Yes		
Outdoor Operation	No (affected by strong light)			
For Special Scan Object	--	Enrich surface features before scanning.	--	--
	Support (For a transparent, reflective or dark object, please sprat powder before scanning).			
Printable Data Output	Support			
Output Format	OBJ, STL, ASC, PLY			
Print Head Weight	0.8kg			
Operation System	Win 7/8/10 (64x)			
Minimum Computer Requirements	CPU: i5; Discrete Graphics: GTX660; Video Memory: 2G ; Memory: 8G.			





